July 22, 2014

New York State Department of Environmental Conservation Division of Materials Management Pesticide Product Registration DOC ID: 539408



FIESTA TURF WEED KILLER

Total:	100.00%
Other Ingredients:	<u>73.48</u> %
Iron HEDTA (FeHEDTA)	26.52%
Active Ingredient:	

NOT FOR USE IN CALIFORNIA

KEEP OUT OF REACH OF CHILDREN

CAUTION

FIRST AID			
IF IN EYES	- Hold eye open and rinse slowly and gently with water for 15-		
	20 minutes.		
	- Remove contact lenses, if present, after the first 5 minutes,		
	then continue rinsing eye.		
	- Call a poison control center or doctor for treatment advice.		
Have the product container or label with you when calling a poison control center			
or doctor, or going for treatment.			

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Causes slight eye irritation. Avoid contact with eyes or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet. Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals.

EPA Reg. No. - 67702-26-87865 EPA Establishment No. - 58996-MO-1

> Manufactured For: Engage Agro USA, LLC 118 E. Carleton Street, Suite A Prescott, AZ 86303

Phone: 928-445-7990

Net Contents:	ቯ 1 gallon, <mark></mark>	2.5 gallons,	🔲 30 gallons, l	200 gallons

ENVIRONMENTAL HAZARDS

For terrestrial uses: Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment washwater or rinsate.

Effluent Discharge (for containers over 5 gallons)

Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

Read and follow all applicable directions and precautions on this label before using.

SITES: Lawns, turf (use on rights of way or non-crop areas), golf courses, parks, playgrounds, cemeteries, athletic fields.

Pests:

Controls or suppresses the following weeds, including, but not limited to:

- Black medic (*Medicago lupulina*)
- Broadleaf plantain (*Plantago major*)
- Bull thistle (Cirsium vulgare)
- Canada thistle (*Cirsium arvense*)
- Common chickweed (Stellaria media)
- Creeping buttercup (Ranunculus repens)
- Creeping Charlie/Ground ivy (*Glechoma hederacea*)
- Dandelion (*Taraxicum officinale*)
- Dovefoot geranium (*Geranium molle*)
- English daisy (Bellis perennis)
- False dandelion (*Hypochoeris radicata*)
- Healall (*Prunella vulgaris*)
- Lawn burweed (Soliva ptero-sperma)
- Moss, liverworts, algae and lichens
- Narrow-leaved plantain (Plantago lanceolata)
- Oxalis (Oxalis spp.)
- Persian Speedwell (*Veronica persica*)
- Prostrate knotweed (Polygonum aviculare)

- Shepherd's-purse (Capsella bursa-pastoris)
- Silverweed cinquefoil (Potentilla anserina)
- Slender speedwell (Veronica filiformis)
- White clover (*Trifolium repens*)
- Wild chamomile (Matricaria chamomilla)
- Wild geranium (Geranium robertianum)

Controls or suppresses diseases such as but not limited to:

- Dollar Spot
- Rust
- Snow Mold

Application Directions

Rate of Spray Solution	Rate of Concentrate	Weeds	Area Treated
2.8 fl. oz./yd² Or 2.5 ga/1000ft²	12.6 fl. oz/ 1000ft ²	Rate for easy-to-control weeds: black medic, Persian speedwell, slender speedwell, wild geranium and moss. This rate can also be used for weed seedlings of: false dandelion, English daisy, dandelion or white clover.	25400 ft ² /2.5ga jug
5.7 fl. oz./yd² Or 4.9 ga/1000ft²	25.2 fl. oz/ 1000ft ²	Standard rate for control of most weed species: dandelion, English daisy, false dandelion, Creeping Charlie/Ground ivy, Prostrate knotweed, white clover, bull thistle, Canada thistle, common chickweed, narrow-leaved plantain, dove's foot geranium, oxalis, lawn burweed, and algae, and for the SUPPRESSION of broad-leaved plantain	12700 ft²/2.5ga jug
11.3/yd ² 9.8 ga/1000ft ²	50 fl. oz./ 1000ft ²	Rate for tough perennial weeds such as: creeping buttercup and broad-leaved plantain.	6340 ft²/2.5ga jug
Rate of Spray Solution	Rate of Concentrate	Diseases	Area Treated
2.8 fl. oz./yd² or 2.5 ga/1000 ft²	12.6 fl. oz./1000 ft ²	Rate for control or suppression of diseases such as dollar spot, snow mold, and rust. Use the higher rate when disease pressure is high.	25400 ft²/2.5ga jug
5.7 fl. oz./yd² or 4.9 ga/1000 ft²	25.2 fl. oz./1000 ft ²		12700 ft²/2.5ga jug

Broadcast Treatment

Shake well before using. Mix one part Fiesta Turf Weed Killer with 24 parts water (5 oz. in 1 gallon of water). Apply the mixed solution at a rate of 2.5 - 10 gallons/1000 ft² (2.8-11.5 fluid oz/yard²), using the chart to determine how much diluted spray to use per area. Any standard hand-held or backpack sprayer can be used. Thoroughly spray weeds. Use a coarse nozzle setting to reduce drift. Uniform coverage is important.

Repeat treatment in 3 to 4 weeks for best results.

Spot Treatment

Shake well before using. Mix one part Fiesta Turf Weed Killer with 24 parts water (5 oz. in 1 gallon of water). Thoroughly spray weeds to point of runoff using any standard hand-held or backpack sprayer. Use a coarse nozzle setting to reduce drift.

Repeat treatment in 3 to 4 weeks for best results.

What will I see?

Works quickly; dying weeds will be seen within hours of application. Treated weeds, moss or algae will turn brown or black. Occasionally a darkening of the grass leaf blades can occur after treatment; however the grass will recover within a few days to weeks. May stain thatch (dead grass under turf): this does not affect the health of the grass.

Use Precautions:

Do not apply to drought stressed grass; ensure turf is well watered prior to application. Do not apply when the daytime temperature will exceed 85°F. Do not apply to bentgrass. If unsure of grass sensitivity, test spray a small area of the turf. Do not apply to newly seeded areas prior to grass seed germination. Avoid spraying desirable plants. Any desirable plants or structures accidentally contacted should be rinsed with water. To avoid staining, wait until treated area dries before re-entry. Do not apply if rainfall is expected within 3 hours of application. Do not irrigate within 3 hours of application. Do not apply to the same area more than 4 times a year.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

PESTICIDE STORAGE: Store in a secure place, away from open fire or flame. Keep container closed and reseal after use. If spilled, use absorbent materials and dispose of in an approved manner.

PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER HANDLING: Nonrefillable container. Do not reuse or refill this container. Triple rinse container (or equivalent) promptly after emptying. Triple rinse as follows:

(For containers less than five gallons):

Empty the remaining contents into application equipment or a mix tank, and drain for 10 seconds after the flow begins to drip. Fill the container 1/4 full with water and recap. Shake for 10 seconds. Pour rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Drain for 10 seconds after the flow begins to drip. Repeat this procedure two more times. Offer for recycling, if available.

(For containers greater than five gallons): Empty the remaining contents into application equipment or a mix tank. Fill the container 1/4 full with water. Replace and tighten closures. Tip container on its side and roll it back and forth, ensuring at least one complete revolution, for 30 seconds. Stand the container on its end and tip it back and forth several times. Turn the container over onto its other end and tip it back and forth several times. Empty the rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Repeat this procedure two more times. Offer for recycling, if available.

BATCH CODE:



FIESTA TURF WEED KILLER:

- Tough on weeds and disease, easy on turf
- Works in cool weather down to 50°F
- Rainfast in 3 hours
- Works fast
- See results the same day
- No unpleasant odor
- Eliminates unwanted moss, algae and lichens quickly
- Turf areas can be re-sown within one day of treatment with FIESTA TURF WEED KILLER
- Even works in cool weather
- Kills weeds, down to the root
- Best results are obtained when applied in the Spring or Fall when environmental conditions are cool and there is ample moisture
- The best times to treat weeds are in the Spring when they are small and growing and in the Fall to eliminate many of next year's weeds
- People and pets can enter treated area when spray dries
- Promotes healthy, weed- and disease-free turf

NOTICE TO BUYER

Seller warrants that this product conforms to the chemical description on this label and is reasonably fit for the purposes stated in the Directions for Use, subject to the inherent risks described above, when used in accordance with the Directions for Use under normal conditions. To the extent consistent with applicable law, this warranty does not extend to use of this product contrary to label directions, or under abnormal use conditions, or under conditions not reasonably foreseeable to Seller. To the extent consistent with applicable law, the Seller shall not be liable for any such use. To the extent consistent with applicable law, the Seller makes no other warranties, either expressed or implied.

For Chemical Emergency
Spill, Leak, Fire, Exposure, or Accident
Call CHEMTREC Day or Night
Within USA and Canada: 1-800-424-9300

For product use or customer service inquiries, call 928-445-7990