

ACCEPTED
VIA NOTIFICATION
LABEL NOT REVIEWED

DOC ID 553117

August 28, 2017

Classified for
"RESTRICTED USE"
in New York State
under 6NYCRR Part 326



New York State Department
of Environmental Conservation
Division of Materials Management
Pesticide Product Registration

↑
PEEL FILM HERE

MEC AMINE-D®

Intended Only for Sale To, Use and Storage by Lawncare and
Landscaping Personnel or Commercial Applicators

Contains 2,4-D, Mecoprop-p and Dicamba.

ACTIVE INGREDIENTS:

| | |
|---|--------|
| *Dimethylamine Salt of 2,4-Dichloro-phenoxyacetic acid | 30.56% |
| **Dimethylamine Salt of (+)-R-2-(2-methyl-4-chlorophenoxy) propionic acid ‡ | 8.17% |
| ***Dimethylamine Salt of Dicamba (3,6-dichloro-o-anisic acid) | 2.77% |

| | |
|---------------------------|----------------|
| OTHER INGREDIENTS: | 58.50% |
| TOTAL | 100.00% |

This product contains:

- *2.44 pounds 2,4-Dichlorophenoxyacetic acid per gallon or 25.38%
 - **0.65 pound (+)-R-2-(2-methyl-4-chlorophenoxy) propionic acid per gallon or 6.75%
 - ***0.22 pound 3,6-dichloro-o-anisic acid per gallon or 2.30%
- ‡ Contains the single isomer form of Mecoprop-p.

Selective Broadleaf Weed Control in Turfgrasses Including for Use on Sod Farms. To Control Dandelion, Clover, Henbit, Plantains, Wild Onion and Many Other Broadleaf Weeds. Also for Highways, Rights-of-Way and Other Similar Non-Crop Areas (as listed on this label)

**KEEP OUT OF REACH OF CHILDREN
DANGER—PELIGRO**

Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle. (If you do not understand the label, find someone to explain it to you in detail.)

FIRST AID

| | |
|--------------------------------|---|
| If in eyes: | <ul style="list-style-type: none">• Hold eye open and rinse slowly and gently with water for 15 to 20 minutes.• Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.• Call a poison control center or doctor for treatment advice. |
| If swallowed: | <ul style="list-style-type: none">• Call a poison control center or doctor immediately for treatment advice.• Have a person sip a glass of water if able to swallow.• Do not induce vomiting unless told to do so by the poison control center or doctor.• Do not give anything by mouth to an unconscious person. |
| If on skin or clothing: | <ul style="list-style-type: none">• Take off contaminated clothing.• Rinse skin immediately with plenty of water for 15 to 20 minutes.• Call a poison control center or doctor for treatment advice. |
| If inhaled: | <ul style="list-style-type: none">• Move person to fresh air.• If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible.• Call a poison control center or doctor for further treatment advice. |

FOR A MEDICAL EMERGENCY INVOLVING THIS PRODUCT CALL: 1-866-944-8565. Have the product container or label with you when calling a poison control center or doctor, or going for treatment. **Note to Physician:** If in eyes, specialized ophthalmologic attention may be necessary. If swallowed, probable mucosal damage may contraindicate gastric lavage. There is no specific antidote; treat symptomatically.

EPA REG. NO. 34704-239

121112 V1D 08B16

FORMULATED FOR
LOVELAND PRODUCTS, INC.® P.O. BOX 1286 GREELEY, COLORADO 80632-1286

EPA EST. NO. 34704-MT-001



0 21077 54592 8

NET CONTENTS 2.5 GAL (9.46 L)



MEC AMINE-D®

Intended Only for Sale To, Use and Storage by Lawncare and Landscaping Personnel or Commercial Applicators

Contains 2,4-D, Mecoprop-p and Dicamba.

ACTIVE INGREDIENTS:

| | |
|---|--------|
| *Dimethylamine Salt of 2,4-Dichloro-phenoxyacetic acid | 30.56% |
| **Dimethylamine Salt of (+)-R-2-(2-methyl-4-chlorophenoxy) propionic acid ‡ | 8.17% |
| ***Dimethylamine Salt of Dicamba (3,6-dichloro-o-anisic acid) | 2.77% |

OTHER INGREDIENTS:

| | |
|-------|---------|
| TOTAL | 58.50% |
| | 100.00% |

This product contains:

- *2.44 pounds 2,4-Dichlorophenoxyacetic acid per gallon or 25.38%
 - **0.65 pound (+)-R-2-(2-methyl-4-chlorophenoxy) propionic acid per gallon or 6.75%
 - ***0.22 pound 3,6-dichloro-o-anisic acid per gallon or 2.30%
- ‡ Contains the single isomer form of Mecoprop-p.

Selective Broadleaf Weed Control in Turfgrasses Including for Use on Sod Farms. To Control Dandelion, Clover, Henbit, Plantains, Wild Onion and Many Other Broadleaf Weeds. Also for Highways, Rights-of-Way and Other Similar Non-Crop Areas (as listed on this label)

KEEP OUT OF REACH OF CHILDREN DANGER—PELIGRO

Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle. (If you do not understand the label, find someone to explain it to you in detail.)

FIRST AID

| | |
|--------------------------------|--|
| If in eyes: | <ul style="list-style-type: none"> • Hold eye open and rinse slowly and gently with water for 15 to 20 minutes. • Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. • Call a poison control center or doctor for treatment advice. |
| If swallowed: | <ul style="list-style-type: none"> • Call a poison control center or doctor immediately for treatment advice. • Have a person sip a glass of water if able to swallow. • Do not induce vomiting unless told to do so by the poison control center or doctor. • Do not give anything by mouth to an unconscious person. |
| If on skin or clothing: | <ul style="list-style-type: none"> • Take off contaminated clothing. • Rinse skin immediately with plenty of water for 15 to 20 minutes. • Call a poison control center or doctor for treatment advice. |
| If inhaled: | <ul style="list-style-type: none"> • Move person to fresh air. • If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. • Call a poison control center or doctor for further treatment advice. |

FOR A MEDICAL EMERGENCY INVOLVING THIS PRODUCT CALL: 1-866-944-8565. Have the product container or label with you when calling a poison control center or doctor, or going for treatment. **Note to Physician:** If in eyes, specialized ophthalmologic attention may be necessary. If swallowed, probable mucosal damage may contraindicate gastric lavage. There is no specific antidote; treat symptomatically.

EPA REG. NO. 34704-239

121112 V1D 08B16

FORMULATED FOR
LOVELAND PRODUCTS, INC.® P. O. BOX 1286 GREELEY, COLORADO 80632-1286

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER

Corrosive, causes irreversible eye damage. Harmful if swallowed. Do not get into eyes, on skin or on clothing.

Personal Protective Equipment (PPE)

Some materials that are chemical-resistant to this product are made of any waterproof material. If you want more options, follow the instructions for category "A" on an EPA chemical-resistance category selection chart.

All mixers, loaders, applicators, and other handlers must wear:

- Long-sleeved shirt and long pants,
- Shoes and socks,
- Protective eyewear*,
- Chemical resistant gloves, except for applicators using ground boom equipment, and
- Chemical resistant apron when mixing or loading, cleaning up spills or equipment, or otherwise exposed to the concentrate.

*Eye protection is not required ONLY when 5 or more parts water is used to dilute 1 part of this product.

User safety requirements:

Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables exist, use detergent and hot water. Keep and wash PPE separately from other laundry. Discard clothing and other absorbent material that have been drenched or heavily contaminated with the product's concentrate. Do not reuse them.

See Engineering Controls for additional requirements.

Engineering Controls:

When handlers use closed systems, such as enclosed cabs, in a manner that meets the requirements listed in the Worker Protection Standard (WPS) for agricultural pesticides (40 CFR 170.240(d) (4-6)), the handler PPE requirements may be reduced or modified as specified in the WPS.

USER SAFETY RECOMMENDATIONS

Users should:

- Wash hands before eating, drinking, chewing gum, using tobacco, or using the toilet.
- Remove clothing/PPE immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing. If pesticide gets on skin, wash immediately with soap and water.
- Remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

ENVIRONMENTAL HAZARDS

This product is toxic to fish and aquatic invertebrates and may adversely affect nontarget plants. Do not apply directly to water, to areas where surface water is present, or to intertidal areas below the mean high water mark. Drift and runoff may be hazardous to aquatic organisms in water adjacent to treated areas. Do not contaminate water when disposing of equipment washwaters or rinsate.

This chemical has properties and characteristics associated with chemicals detected in groundwater. The use of this chemical in areas where soils are permeable, particularly where the water table is shallow, may result in groundwater contamination. Application around a cistern or well may result in contamination of drinking water or groundwater.

Use of this product in certain portions of California, Oregon, and Washington is subject to the January 22, 2004 Order for injunctive relief in Washington Toxics Coalition, et al. v. EPA, C01-0132C, (W.D. WA). For further information, please refer to EPA Web Site: <http://www.epa.gov/esp>.

Groundwater Contamination:

Most cases of groundwater contamination involving phenoxy herbicides such as 2,4-D and MCPP have been associated with mixing/loading and disposal sites. Exercise caution when handling 2,4-D and MCPP pesticides at such sites to prevent contamination of groundwater supplies. Use of closed systems for mixing or transferring this pesticide will reduce the probability of spills. Placement of the mixing/loading equipment on an impervious pad to contain spills will help prevent groundwater contamination.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. For any requirements specific to your State or Tribe, consult the agency responsible for pesticide regulation.

AGRICULTURAL USE REQUIREMENTS

Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR part 170. This Standard contains requirements for the protection of agricultural workers on farms, forests, nurseries, and greenhouses, and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification, and emergency assistance. It also contains specified instructions and exceptions pertaining to the statements on this label about Personal Protective Equipment (PPE) and restricted-entry interval. The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard. **Do not enter or allow worker entry into treated areas during the restricted entry interval (REI) of 48 hours.**

PPE required for early entry to treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated, such as plants, soil, or water, is:

- Coveralls worn over short-sleeve shirt and short pants,
- Chemical-resistant gloves made of any waterproof material,
- Chemical-resistant footwear plus socks,
- Chemical-resistant headgear for overhead exposure, and
- Protective eyewear.

NON-AGRICULTURAL USE REQUIREMENTS

The requirements in this box apply to uses of this product that are NOT within the scope of the Worker Protection Standard for agricultural pesticides (40 CFR part 170). The WPS applies when this product is used to produce agricultural plants on farms, forest, nurseries, or greenhouses.

Only protected handlers may be in the area during application.

Do not enter or allow people (or pets) to enter the treated area until sprays have dried.

RESTRICTIONS

Do not apply this product in a way that will contact workers or other persons, either directly or through drift.

- Do not apply directly to or near water, storm drains, gutters, sewers, or drainage ditches.
- Do not apply within 25 feet of rivers, fishponds, lakes, streams, reservoirs, marshes, estuaries, bays and oceans.
- To prevent product run-off, do not over-water the treated area(s) or apply when raining or when rain is expected that day.
- Aerial applications are prohibited.

PRECAUTIONS

- Do not use this product on or near desirable plants, including within the drip line of the roots of desirable trees and shrubs, since injury may result.
- To prevent injury, avoid drift of spray mist onto vegetables, flowers, ornamental plants, shrubs, trees, and other desirable plants. Do not pour spray solutions near these plants.

Spray Drift Management

A variety of factors including weather conditions (e.g., wind direction, wind speed, temperature, relative humidity) and method of application can influence pesticide drift. The applicator must evaluate all factors and make appropriate adjustments when applying this product.

Boom Height

Do not apply with a nozzle height greater than 4 feet above the crop canopy.

Droplet Size

Use only a Medium or coarser spray (ASABE standard 572) or a volume mean diameter of 300 microns or greater for spinning atomizer nozzles.

Wind Speed

Do not apply at wind speeds greater than 10 mph. Only apply this product if the wind direction favors on-target deposition and there are not sensitive areas (including, but not limited to, residential areas, bodies of water, known habitat for nontarget species, nontarget crops) within 250 feet downwind.

Temperature Inversions

If applying at wind speeds less than 3 mph, the applicator must determine if: a) conditions of temperature inversion exist, or b) stable atmospheric conditions exist at or below nozzle height. Do not make applications into areas of temperature inversions or stable atmospheric conditions.

Susceptible Plants

Do not apply under circumstances where spray drift may occur to food, forage, or other plantings that might be damaged or crops thereof rendered unfit for sale, use or consumption. Susceptible crops include, but are not limited to, cotton, okra, flowers, grapes (in growing stage), fruit trees (foliage), soybeans (vegetative stage), ornamentals, sunflowers, tomatoes, beans, and other vegetables, or tobacco. Small amounts of spray drift that might not be visible may injure susceptible broadleaf plants.

Other State and Local Requirements

Applicators must follow all state and local pesticide drift requirements regarding application of 2,4-D herbicides. Where states have more stringent regulations, they must be observed.

Equipment

All ground application equipment must be properly maintained and calibrated using appropriate carriers or surrogates.

ADJUVANT USE When an adjuvant is to be used with this product, Loveland Products recommends using LI 700® or Liberate®.

SMALL QUANTITY DILUTION TABLE

To spray small areas use the following dilution table.

| If rate on label (pt/A) shows: | Amount of product for 1000 sq ft |
|--------------------------------|----------------------------------|
| 0.5 pt | 0.20 fl oz (1-3/16 tsp) |
| 0.67 pt | 0.25 fl oz (1.5 tsp) |
| 0.75 pt | 0.67 fl oz (2.0 tsp) |
| 1.0 pt | 0.375 fl oz (2.25 tsp) |
| 2.0 pt (1.0 qt) | 0.75 fl oz (1.5 tbsp) |
| 3.0 pt (1.5 qt) | 1.0 fl oz (2.5 tbsp) |
| 4.0 pt (2.0 qt) | 1.5 fl oz (3.0 tbsp) |
| 8.0 pt (4.0 qt) | 3.0 fl oz (9.0 tbsp) |

WEEDS CONTROLLED BY MEC AMINE-D®

| | | | |
|-------------|---------------|------------------|--------------|
| Bedstraw | Ground ivy | Pigweed | Spurge |
| Black medic | Heal-all | Plantain | Wild carrot |
| Buckhorn | Henbit | Poison ivy | Wild garlic |
| Burdock | Knotweed | Poison oak | Wild lettuce |
| Chicory | Lambsquarters | Purslane | Wild onion |
| Chickweed | Lespedeza | Ragweed | Yarrow |
| Clover | Mallow | Sheep sorrel | |
| Dandelion | Morningglory | Shepherd's-purse | |
| Dock | Peppergrass | Speedwell | |

USE SITE INSTRUCTIONS SOD FARMS

Mec Amine-D provides selective broadleaf control in warm season and cool season turfgrass established for commercial sod production.

Application Rates

Application Rates for sod farms are listed in the tables under the 'Ornamental and Recreational Lawns and Turf' Section.

Restrictions

- Do not apply this product through any type of irrigation system or by air.
- Do not apply this product immediately before rainfall or irrigation.
- Do not irrigate or water the turfgrasses within 24 hours after application.
- Do not make more than 2 applications per year.
- Do not exceed a maximum of 4.0 pints Mec Amine-D (1.2 pounds acid equivalent 2,4-D) per acre per application.
- Minimum interval of 30 days between applications.

Precautions

- Delay mowing 1 to 2 days before and after the application of this product.
- Treated areas may be reseeded 3 to 4 weeks after application.
- Do not apply this product to "Floratum" St. Augustinegrass as injury is likely to occur.

Application Schedules for Sod Farms

Apply Mec Amine-D to broadleaf weeds that are actively growing. Follow-up applications may be required for dense infestations of perennial and biennial weeds.

Newly Seeded Areas

Precaution

- To minimize risk of injury, apply Mec Amine-D to grass seedlings after the second mowing.

Newly Sodded, Sprigged or Plugged Areas

Precautions

- Delay the application of Mec Amine-D to newly sodded, sprigged or plugged grasses until 3 to 4 weeks after the sodding, sprigging or plugging operations.
- To reduce risk of injury, applications to Bermudagrass, Zoysiagrass, Bahiagrass should be made while dormant.

ORNAMENTAL AND RECREATIONAL LAWNS AND TURF

Use Sites

Mec Amine-D is for use on lawns and ornamental areas (Residential/Domestic, Industrial, and Institutional).

Residential/Domestic turf sites are defined as ornamental and turf areas associated with the household or home life, including but not limited to:

- Apartment Complexes
- Condominiums
- Patient care areas of nursing homes, mental institutions, hospitals or convalescent homes.

Industrial turf sites are defined as ornamental and turf areas in areas not associated with residential activities, including but not limited to:

- Cemeteries
- Golf Courses
- Office Buildings
- Parks
- Retail Outlets
- Streets

Institutional turf sites are defined as ornamental and turf areas around properties or facilities providing a service to public or private organizations, including but not limited to:

- Hospitals
- Libraries
- Museums
- Nursing Homes
- Schools
- Sports Facilities

| Applications | Rates | Comments |
|--|---|--|
| Cool Season Grasses such as: Bluegrass Fescue Rye | 3.0 to 4.0 pts/A (1.1 to 1.5 fl oz/1000 sq ft) (0.9 to 1.2 lb ae 2,4-D/A) | For normal application, use 40.0 to 80.0 gals of water/A (1.0 to 2.0 gal of water per 1000 sq ft). For professional lawn maintenance, use 1.0 to 5.0 gal of water/1000 sq ft. Higher water volumes may be used when tank mixed with a turf fertilizer. Follow fertilizer labels for proper amounts to add. |
| Warm Season Grasses such as: Bahiagrass Bermudagrass Centipedegrass St. Augustinegrass Zoysiagrass | 2.0 to 2.5 pt/A (0.75 to 0.9 fl oz/1000 sq ft) (0.6 to 0.8 lb ae 2,4-D/A) | Use 40.0 to 200.0 gal of water/A (1.0 to 5.0 gal of water/1000 sq ft). Use reduced rates if grass is stressed from heat or drought. Exercise care when applying during growth stages from dormancy to green-up and from green-up to dormancy. Some temporary discoloration may occur on warm season grasses. NOTE: If Bermudagrass is dormant, up to 4.0 pt/A may be used (1.5 fl oz/1000 sq ft). Some hybrid Bermudagrasses may be sensitive to this product. Contact your local extension service weed control specialist. |

Lower Volume Equipment: Use as little as 5.0 gallons of water per acre. Use only application equipment that is capable of spreading a uniform droplet, wetting each weed surface.

Restrictions

- Do not apply this product through any type of irrigation system or by air.
- Do not exceed a maximum of 4.0 pints Mec Amine-D per acre (1.2 pounds acid equivalent 2,4-D per acre) per application.
- Do not make more than 2 applications per year.
- The maximum seasonal rate is 8.0 pints Mec Amine-D per acre (2.4 pounds acid equivalent 2,4-D per acre), excluding spot treatments.

Precautions

- Overdosing Bentgrass, St. Augustine, and Centipede grasses may result in injury.
- Large volumes of spray water (i.e. 1.0 fluid ounce (0.019 pound acid equivalent 2,4-D) in 5.0 gallons of water per 1500 square feet) will aid in obtaining uniform coverage.
- When applying with a hand-type sprayer, use a single nozzle sprayer. If a multiple nozzle spray is used, sideways application with a boom configured such that the spray from more than one nozzle may land on the same area will result in heavy, localized over-application and subsequent turf discoloration or injury.

NON-TURF AREAS

(Fencerows, Hedgerows, Roadsides (including aprons and guardrails), Non-irrigation Ditches, Rights-of-way, Utility Power Lines, Railroads, Airports, and Industrial Sites):

Restrictions

- Do not apply to commercial timber or other plants being grown for sale or other commercial use.
- Do not apply to plants being grown for commercial seed production.
- Do not apply to plants being grown for research purposes.
- Do not apply by air.

Precautions

- To avoid injury, do not apply this product to St. Augustinegrass at the non-turf rates specified below in this section.
- Avoid overdosing Bentgrass as injury may result.
- Some hybrid Bermudagrass may be sensitive to this product. Contact your local Extension Service Weed Control Specialist for sensitive grasses in your area.
- Large volumes of spray water (i.e. 1.0 fluid ounce (0.019 pound acid equivalent 2,4-D) in 5.0 gallons water per 1500 square feet; 1.9 pints (0.56 pound acid equivalent 2,4-D) in 150.0 gallons per acre) will aid in obtaining uniform coverage.
- When applying with a hand-type sprayer, use a single nozzle sprayer. If a multiple nozzle spray is used, sideways application with a boom configured such that the spray from more than one nozzle may land on the same area will result in heavy, localized over-application and subsequent turf discoloration or injury.

Postemergence (annual and perennial weeds) applications:

| Broadleaf Weeds | Amount/Acre | Amount/1000 Sq Ft | Directions |
|--|--|--|--|
| Small broadleaf weeds | 2.6 pt (0.8 lb ae 2,4-D)/50.0 to 300.0 gal of water. | 1.0 fl oz (0.019 lb ae 2,4-D)/9.0 to 55.0 pt of water. | Thoroughly saturate all weeds with spray mixture. Apply any time between the time when plants come into full leaf (Spring) to when the plants begin to go dormant. Best results are obtained when weeds are young and actively growing. Do not cut weeds until herbicide has translocated throughout the plant causing root death. |
| Heavy, dense stands | 6.5 pt (2.0 lb ae 2,4-D) /300.0 gal of water. | 2.4 fl oz (0.045 lb ae 2,4-D)/6.8 gal of water. | |
| Spot applications with small tank sprayers | Spot Treatment Only 4.0 fl oz (0.076 lb ae 2,4-D)/1.0 gal of water | | Spray to thoroughly wet all foliage. |

Restrictions

- Do not make more than 2 applications per year.
- Do not exceed a maximum 6.5 pints of Mec Amine-D (2.0 pounds acid equivalent 2,4-D) per acre, or 2.4 fluid ounces (0.045 pound acid equivalent 2,4-D) per 1000 square feet, per application, including spot treatment.
- Minimum interval of 30 days between applications.

Postemergence applications (woody plants):

For control of woody plants, apply to both stems and foliage any time from the time foliage is completely matured until the time plants start to go dormant. All leaves, stems and suckers must be completely wet to the ground line for effective control. Regrowth may be anticipated on the more resistant species. Add 6.0 to 9.0 pints of Mec Amine-D to 100.0 gallons of water applying 200.0 to 600.0 gallons of spray mixture per acre (43,560 square feet) depending upon the height and thickness of the brush. Mix thoroughly before spraying.

| Broadleaf Weeds | Amount/Acre | Amount/1000 Sq Ft | Directions |
|--|--|--|---|
| Woody Plants | 6.0 to 9.0 pt (0.5 to 0.75 lb ae MCPP-p) /200.0 to 600.0 gal of water. | 2.2 to 3.3 fl oz/5.0 to 14.0 gal of water. | Apply to both stems and foliage any time from the time foliage is completely matured until the time plants start to go dormant. All leaves, stems and suckers must be completely wet to the ground line for effective control. Regrowth may be anticipated on the more resistant species. |
| Spot applications with small tank sprayers | Spot Treatment Only 4.0 fl oz (0.076 lb ae 2,4-D)/1.0 gal of water | | Spray to thoroughly wet all foliage. |

Restrictions

- Do not make more than 1 application per year.
- Do not exceed a maximum broadcast application of 9.0 pints Mec Amine-D (0.75 pound acid equivalent MCPP-p) per acre, or 3.3 fluid ounces per 1000 square feet, per year, including spot treatment.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

PESTICIDE STORAGE: KEEP FROM FREEZING. Store in safe manner. Store in original container only. Keep container tightly closed when not in use. Reduce stacking height where local conditions can affect package strength. Personnel should use clothing and equipment consistent with good pesticide handling. Do not store under conditions which might adversely affect the container or its ability to function properly.

PESTICIDE DISPOSAL: Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal law and may contaminate groundwater. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

CONTAINER HANDLING:

Nonrefillable container:

Do not reuse this container to hold materials other than pesticides or dilute pesticides (rinsate). After emptying and cleaning, it may be allowable to temporarily hold rinsate or other pesticide-related materials in the container. Contact your state regulatory agency to determine allowable practices in your state. Once cleaned, some agricultural plastic pesticide containers can be taken to a container collection site or picked up for recycling. To find the nearest site, contact your chemical dealer or manufacturer, or contact The Agricultural Container Recycling Council (ACRC) at www.aarecycle.org. If not recycled, then puncture and dispose of in a sanitary landfill, or incineration, or if allowed by state and local authorities, by burning. If burned, stay out of smoke. Triple rinse or pressure rinse container (or equivalent) promptly after emptying.

For packages equal to or less than 5 gallons: Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank and drain for 10 seconds after the flow begins to drip. Fill the container 1/4 full with water and recap. Shake for 10 seconds. Pour rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Drain for 10 seconds after the flow begins to drip. Repeat this procedure two more times.

Pressure rinse as follows: Empty the remaining contents into application equipment or a mix tank and continue to drain for 10 seconds after the flow begins to drip. Hold container upside down over application equipment or mix tank or collect rinsate for later use or disposal. Insert pressure rinsing nozzle in the side of the container, and rinse at about 40 PSI for at least 30 seconds. Drain for 10 seconds after the flow begins to drip.

For packages with capacities greater than 5 gallons or 50 pounds: Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank. Fill the container 1/4 full with water. Replace and tighten closures. Tip container on its side and roll it back and forth, ensuring at least one complete revolution, for 30 seconds. Stand the container on its end and tip it back and forth several times. Turn the container over onto its other end and tip it back and forth several times. Empty the rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Repeat this procedure two more times.

Pressure rinse as follows: Empty the remaining contents into application equipment or a mix tank and continue to drain for 10 seconds after the flow begins to drip. Hold container upside down over application equipment or mix tank or collect rinsate for later use or disposal. Insert pressure rinsing nozzle in the side of the container, and rinse at about 40 PSI for at least 30 seconds. Drain for 10 seconds after the flow begins to drip.

For refillable containers:

Refill this container with pesticide only. Do not reuse this container for any other purpose. Cleaning the container before final disposal is the responsibility of the person disposing of the container. Cleaning before refilling is the responsibility of the refiller. To clean the container before final disposal, empty the remaining contents from this container into application equipment or mix tank. Fill the container about 10 percent full with water. Agitate vigorously or recirculate water with the pump for 2 minutes. Pour or pump rinsate into application equipment or rinsate collection system. Repeat this rinsing procedure two more times.

In Case of Spill: For help with any spill, leak, fire or exposure involving this material, call day or night CHEMTREC – 1-800-424-9300.

Steps to be taken in case material is released or spilled: Dike and contain the spill with inert material (sand, earth, etc.) and transfer liquid and solid diking material to separate containers for disposal. Remove contaminated clothing, and wash affected skin areas with soap and water. Wash clothing before re-use. Keep the spill out of all sewers and open bodies of water.

CONDITIONS OF SALE AND LIMITATION OF WARRANTY AND LIABILITY

BEFORE BUYING OR USING THIS PRODUCT, read the entire Directions for Use and the following Conditions of Sale and Limitation of Warranty and Liability. By buying or using this product, the buyer or user accepts the following Conditions of Sale and Limitation of Warranty and Liability, which no employee or agent of LOVELAND PRODUCTS, INC. or the seller is authorized to vary in any way.

Follow the Directions for Use of this product carefully. It is impossible to eliminate all risks inherently associated with the use of this product. Crop or other plant injury, ineffectiveness, or other unintended consequences may result from such risks as weather or crop conditions, mixture with other chemicals not specifically identified in this product's label, or use of this product contrary to the label instructions, all of which are beyond the control of LOVELAND PRODUCTS, INC. and the seller. The buyer or user of this product assumes all such inherent risks.

Subject to the foregoing inherent risks, LOVELAND PRODUCTS, INC. warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes stated in the Directions for Use when the product is used in strict accordance with such Directions for Use under normal conditions of use. EXCEPT AS WARRANTED IN THIS LABEL AND TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, THIS PRODUCT IS SOLD "AS IS," AND LOVELAND PRODUCTS, INC. MAKES NO OTHER WARRANTY, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, OR ELIGIBILITY OF THIS PRODUCT FOR ANY PARTICULAR TRADE USAGE.

IN THE UNLIKELY EVENT THAT BUYER OR USER BELIEVES THAT LOVELAND PRODUCTS, INC. HAS BREACHED A WARRANTY CONTAINED IN THIS LABEL AND TO THE EXTENT REQUIRED BY APPLICABLE LAW, BUYER OR USER MUST SEND WRITTEN NOTICE OF ITS CLAIM TO THE FOLLOWING ADDRESS: LOVELAND PRODUCTS, INC., ATTENTION: LAW DEPARTMENT, P.O. BOX 1286, GREELEY, CO 80632-1286.

TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, THE BUYER'S OR USER'S EXCLUSIVE REMEDY FOR ANY INJURY, LOSS, OR DAMAGE RESULTING FROM THE HANDLING OR USE OF THIS PRODUCT, INCLUDING BUT NOT LIMITED TO CLAIMS OF BREACH OF WARRANTY OR CONTRACT, NEGLIGENCE, STRICT LIABILITY, OR OTHER TORTS, SHALL BE LIMITED TO ONE OF THE FOLLOWING, AT THE ELECTION OF LOVELAND PRODUCTS, INC. OR THE SELLER: DIRECT DAMAGES NOT EXCEEDING THE PURCHASE PRICE OF THE PRODUCT OR REPLACEMENT OF THE PRODUCT. TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, LOVELAND PRODUCTS, INC. AND THE SELLER SHALL NOT BE LIABLE TO THE BUYER OR USER OF THIS PRODUCT FOR ANY CONSEQUENTIAL, SPECIAL, OR INDIRECT DAMAGES, OR DAMAGES IN THE NATURE OF A PENALTY.

LI 700, Liberate and Mec Amine-D are registered trademarks of Loveland Products, Inc.

INTENTIONALLY LEFT BLANK